



Protecting Your Investment

RAWLPLUG®

FF1		FOR USE IN AIRIATED BRICK/BLOCK/CONCRETE			Unit Cost
M10					
100	mm	Rawlplug R-FF1-N-10L100	To suit overall system thickness of 50mm		£0.60
120	mm	Rawlplug R-FF1-N-10L120	To suit overall system thickness of 80mm		£0.69
140	mm	Rawlplug R-FF1-N-10L140	To suit overall system thickness of 100mm		£0.84
160	mm	Rawlplug R-FF1-N-10L160	To suit overall system thickness of 120mm		£0.95
200	mm	Rawlplug R-FF1-N-10L200	To suit overall system thickness of 150mm		£2.15
240	mm	Rawlplug R-FF1-N-10L240	To suit overall system thickness of 180mm		£2.65
300	mm	Rawlplug R-FF1-N-10L300	To suit overall system thickness of 240mm		£3.91
WX-58		FOR USE IN CP, OSB AND SHEATHING BOARD			
M6					
75	mm	Rawlplug WX-58T75	To suit overall system thickness of 65mm		£0.12
85	mm	Rawlplug WX-58T85	To suit overall system thickness of 95mm		£0.14
95	mm	Rawlplug WX-58T95	To suit overall system thickness of 75mm		£0.17
105	mm	Rawlplug WX-58T105	To suit overall system thickness of 95mm		£0.19
115	mm	Rawlplug WX-58T115	To suit overall system thickness of 105mm		£0.22
125	mm	Rawlplug WX-58T125	To suit overall system thickness of 115mm		£0.24
150	mm	Rawlplug WX-58T150	To suit overall system thickness of 140mm		£0.33
175	mm	Rawlplug WX-58T175	To suit overall system thickness of 165mm		£0.54
200	mm	Rawlplug WX-58T200	To suit overall system thickness of 190mm		£0.68
250	mm	Rawlplug WX-58T250	To suit overall system thickness of 240mm		£1.30
300	mm	Rawlplug WX-58T300	To suit overall system thickness of 290mm		£1.90
WBT Concrete Screws		FOR FIXING DIRECTLY INTO CONCRETE (NO PLUG)			
50	mm	Rawlplug R-WBT-611050	To suit overall system thickness of 30mm		£0.11
75	mm	Rawlplug R-WBT-611075	To suit overall system thickness of 45mm		£0.16
90	mm	Rawlplug R-WBT-611090	To suit overall system thickness of 60mm		£0.24
100	mm	Rawlplug R-WBT-61100	To suit overall system thickness of 60mm		£0.27
120	mm	Rawlplug R-WBT-61120	To suit overall system thickness of 80mm		£0.37
140	mm	Rawlplug R-WBT-61140	To suit overall system thickness of 100mm		£0.47
160	mm	Rawlplug R-WBT-61160	To suit overall system thickness of 120mm		£0.61
180	mm	Rawlplug R-WBT-61180	To suit overall system thickness of 140mm		£0.94
200	mm	Rawlplug R-WBT-61200	To suit overall system thickness of 160mm		£0.98
220	mm	Rawlplug R-WBT-61220	To suit overall system thickness of 180mm		£1.14
240	mm	Rawlplug R-WBT-61240	To suit overall system thickness of 190mm		£1.24
260	mm	Rawlplug R-WBT-61260	To suit overall system thickness of 210mm		£1.59
300	mm	Rawlplug R-WBT-61300	To suit overall system thickness of 260mm		£2.90
350	mm	Rawlplug R-WBT-61350	To suit overall system thickness of 31mm		£3.01
400	mm	Rawlplug R-WBT-61400	To suit overall system thickness of 360mm		£3.23

Due to the complexity of building materials, tools, fixing elements and installation techniques, a comprehensive recommendation depends on full and detailed understanding of specific site conditions. It is therefore the responsibility of the installer to determine the type and fixing required based on site specific requirements and pull outs tests if required.